Approved For Release 2002/01/16: CIA-RDP83-00415R004500020004-5

CLASSIFICATION SECRET/CONTROL-US OFFICIALS ONLY

CENTRAL INTELLIGENCE AGENCY

REPORT NO.

INFORMATION REPORT

CD NO.

25X1A

COUNTRY

USSR

Soviet Manual on the 152 mm SP Cuns

DATE DISTR.

14 Mar. 1950

NO. OF PAGES

25X1A PLACE

ACQUIRED

SUBJECT

RETURN TO CIA LIBRARY

NO. OF ENCLS. (LISTED BELOW)

DATE OF INFO.

25X1A

SUPPLEMENT TO REPORT NO.

25X1X

25X1X

A photostat of a Soviet manual on the 152-mm ap gun is attached.*

- The manual has 48 pages, the content of which is excerpted in the following:
 - Technical data on pages three and four:

(1)Weight: (2)

46.5 tons

Dimensions:

Chassis length: (a) (b)

Chassis width:

Overall height: (c) (a) Width between centers of tracks:

(e) Clearance:

3.25 meters 2.45 meters 2.6 meters

6.75 meters

0.44 meters

(3) Speed:

> (a) Average speed on nighways: (b) Average speed on dirt roads:

(c) Maximum speed:

(d) Speed, cross country: 15 mph (25km/ph)

8.5 mph (14 km/ph) 26.5 mph (43 km/ph) 7.5 mph (12 km/ph)

Capacity of fuel tanks:

Capacity of three main tanks:

600...(Notes

Page is damaged here)

CLASSIFICATION SECRET/CONTROL-US OFFICIALS ONLY NSRB DISTRIBUTION ARMY # X AIR X FBi

Approved For Release 2002/01/16 CIA-RDP83/00415R004500020004-5 25X1A

CENTRAL INTELLIGENCE AGENCY 6 + 2 m (5) Consumption of fuel for 1 km 2 to 3.5 kg (6.62 miles): consumption of fuel for one 40 to 70 liters (16 to hour (running motor); 18.5 gallons) (6) Cruising range: (a) Highway: 205 miles (330 km) 100 miles (165 km) (b) Dirt road: (c) Cross country: 75 miles (120 km) (7) Performance: (a) Haximum fording depth:
(b) Haximum step up:
(c) Haximum ditch crossing:
(d) Haximum gradient angle:
36 (e) Maximum angle of side incli-30⁰ ansions (f) Ground pressure per em2: 0.85 kg (8) Maximum engine performance (Diesel W-2k) at 2,000 rom: 600 HP (9) armament: (a) Gun-howitzer, ML-20s caliber: 152 mm Traverse:

- - **≛** 60 - 50 to +180 Llevation: Length of recoil: Minimum: 800 mm, Maximum: 900 mm (b) Light machine gun Frsh-2, caliber: 7.6 mm
- (10) Ammunition carrier:
 - (a) Shells for gun: 20 rounds (b) Drum magazines for light machine guns: 18 (1,278 cartridges) (c) Hand grenades F-1: 25
- (11) Sighting equipment:
 - (a) One telescopic sight 37/10 or Kr-5
 - (b) One panoramic sight ML-20
- (12) Observation equipment:
 - One periscope PTA-4 (b) One direct vision set (c) One mirror periscope
- (13) Radio equipment:

SECRET-COMPROL/US OFFICIALS ONLY

CENTRAL INTELLIGENCE AGENCY

~ 3 ···

Type:

10-R or 9-R

in steady position:

22 to 25 miles

Maximum range

in motions

12 to 15 miles

Height of rod entenna:

lave range of receiving set:

Power source: Voltage: Transformer: Interphone system: 1.4 meters 150 to 240

Power system of SP gun

12 Volts

RU-75V and RU-11B TrU-4bis

(14) Tools:

- (a) One crosscut saw
- (b) One crowbar
- (c) One engineer ax
- (d) One ongineer spade

(15) Accessories:

- (a) one large tarpaulin
- (b) Two tow ropes
- (c) One fire extinguisher
- (d) Cne medical kit
- b. Page 18 shows a diagram of the station of the 5-man crew. The operations of the craw mambers are described in the following pages.
- c. Page 36 is a chart of ranges and corresponding elevation angle for nine different charges. The maximum range is indicated at 3,000 meters (9,850 feet).
- d. Page 38 contains a paragraph stating that an SP gun battery consists of three SP guns, including that of the battery com-25X1A mander.

Comment:

The given data do not definitely reveal whether the manual is on the JSU-152 SP gun or the clackete 3U-152 SP gun (on ky chassis). The stated weight of 46.5 metric tons corresponds to the weight of the JSU-152 SP gun known from other original documents.

The stated organization of an SP cun battery with three SP guns was probably introduced at the end of the war. The present armament of an SP gun battery is assumed to be five SP guns, where-as in 1944 a heavy SP gun battery had only two guns. It is concluded that the manual was edited in 1945 or 1946 and may possibly describe the JSU-152 32 gun.

1 ... nnex: Photostated Lanual

25X1A

Comment: The photostat copy of the manual has been sent to the Department of the Army.

SECR T-CUMPROD/US COLOR LS ONLY